

## **PORTABLE SHELTER INSTRUCTIONS**

**MODEL: SH-RO204015**

L12.2 x W 6.1x H4.6m



**PICTURE MAY NOT REFLECT THE EXACT MODEL**

## Covering Your World

### **TO OUR NEW AND VALUED CUSTOMER**

Thank you for purchasing your new Instant Shelter from. We know you will have as much pleasure owning your new shelter as we had in making it for you. Our shelters have been designed for rapid assembly and minimal maintenance. We have rigorous quality control at every step of the shelters manufacturing process to insure you the best unit money can buy. Our parts are triple checked prior to packaging to insure you will have everything you need before you start. In the unlikely event that a part is damaged or missing, you should immediately contact your place of purchase for a speedy replacement.

### **And Now a Few Words About Safety**

#### **HEAD PROTECTION IS RECOMMENDED!**

Working with or under heavy parts included with this shelter can cause serious head injury.

#### **WEAR GLOVES**

You will be working with metal parts which may have SHARP edges

#### **CHECK WITH YOUR LOCAL AUTHORITIES**

Underground POWER CABLES or GAS LINES may result in injury while securing the shelter. It may also result in having to move the building. A cursory check with the local building authorities will help alleviate these concerns.

## Covering Your World

### **CLIMBING EQUIPMENT**

It is highly recommended that scaffolding, ladders and mechanical lifting equipment conform to all local building codes when erecting the shelter. Safety straps and harnesses should be used at all times. The metal structure of the shelter has not been designed for human weight. Erecting shelter during wind or rain is unsafe and could result in serious injury.

### **CHECK LOCAL WEATHER CONDITIONS**

Check your local weather forecast prior to planning your building day. Wind, snow and/or rain may cause unsafe conditions that could lead to serious injury.

### **STORING HAZARDOUS MATERIALS**

Check all local building codes prior to storing any hazardous material. Shelter may require additional ventilation to meet local codes. Keep away from gasoline, alcohol and etc.

### **SEVERE WEATHER CONDITIONS**

Working in and around the portable shelter during severe weather is not recommended. Serious injury could result. In the event that extraordinarily severe wind, snow or other severe conditions are predicted and if time permits, it is recommended that the shelter cover be removed.

### **PREVENT ENTRAPMENT**

Check Shelter for co workers before locking up. Always provide for escape in case of emergency.

## Covering Your World

### **SHELTER RELOCATION**

Should the shelter require relocation or disassembly for any reason, it is strongly recommended that the structure and its cover are thoroughly inspected prior to rebuilding

### **PERIODIC SHELTER INSPECTION**

As with all structures, periodic inspection of the cover and all structural components is highly recommended. Tightening the cover and the structure will prolong the life of your investment

***PLEASE BE Safety CONSCIOUS!***

Common Sense is the knack of seeing things as they are, and doing things as they ought to be done. Harriet Beecher Stowe



















***THANK YOU FOR CHOOSING SHELTER***

### **UNPACKING & IDENTIFYING PARTS**

Prior to assembling your New Portable Shelter, unpack all crates and complete an inventory of all parts according to the following list and diagrams






















# Covering Your World

## PARTS LIST FOR SH-RO204015 (NO : 2011.11.114)


Parts#	Descriptions	Diagram	Dimensions ( in mm )	Q'TY	BOX
1	Top roof arched rafter(left)		Φ60x1600	8	2
2	Roof arched rafter		Φ60x1600	20	2
3	Roof arched rafter(lower end)		Φ60x1600	4	2
4	Side upper curved rafter		Φ60x1450	12	2
5	Side upper curved rafter		Φ60x1450	4	2
6	Side vertical rafter(leg)		Φ60x800	16	3
7	Inside door vertical tube(lower)		Φ60x2000	4	3
8	Inside door vertical tube(upper)		Φ60x2035	4	3
9	<b>Upper door cross tube</b>		Φ60x800	2	3
10	<b>Upper door cross tube</b>		Φ60x800	2	3
11	<b>Side door frame cross support tube</b>		Φ45x1035	4	3
12	<b>Top and side roof purlin</b>		Φ45x1680	21	1
13	<b>Purlin</b>		Φ45x1680	28	1
14	<b>Upper door vertical support</b>		Φ60x770	2	2
15	Door frame base rail		90x30x1180	4	3
16	Side base rail(end)		90x30x1834	2	3
17	Side base rail		90x30x1734	12	3
18	<b>Upper door vertical support connector</b>			2	2

# Covering Your World


## PARTS LIST FOR SH-RO204015

Parts#	Descriptions	Diagram	Dimensions ( in mm )	Q'TY	BOX
19	Cover conduit		Φ25x1780	2	2
20	Cover conduit		Φ25x1780	12	2
21	Zipper tool(open/close)		Φ16x800	1	3
22	Fixer (for door frame)			30	2
23	Door sliding cable (S:14pcs)		Φ6x600	2	2
24	Roof bracing cable kit		Φ6x3570	14	2
25	Side wall bracing cable kit		Φ6x3210	14	2
26	Door sliding cable support hook			2	2
27	Ratchet tie-down			14	2
28	Anchor		M16x450	32	3
29	Screw, washer and nut		M8x80	172	2
30	Screw and washer for door frame and door base rail		M8x80	8	2
31	Screw, washer and nut for ratchet		M8x15	28	2
32	Screw, washer and nut		M8x120	12	2
33	Screws for door base		M8x120	4	2
34	Cover lock-up		T-2	68	2
35	Ball type bungee		Φ5x380	76	2
36	Strap band( for ratchet)		25x700	14	2
37	Main Cover			1	2
38	door cover			2	2
39	upper cover			2	2

**L12.2 x W 6.1x H4.6m SH-RO204015**




## SH-RO204015 Main Dimension (mm)






## Frame Assembly Steps

Step A : Assemble roof rafter#1,#2 and #3, then connect with purlin#12 and #13




Step B: Install side curved rafter#4, #5 and purlin #12, then brace the roof with cables.




**Notice:** Apply heavy duct tape on all pipe connections and clamps that may contact the cover. (tape are not included in the packaging, please buy it on market)

# Covering Your World

Step C : Install side vertical rafters #6 and connect with purlin.




Step D: Put the base rails #15, #16, #17 in position, put the above frame into base feet. Then install the door frame as shown below.(fasten each part by screws)




# Covering Your World

Step E : Install ratchet #27 on base rails with screws#31, fix the base rail on solid ground with anchor#28.




**Tips:** The tools below may needed while installing the shelter.




# Roof Cover Assembly

TIPS : Slide the roof cover over assembled frame from one side and insert the conduit to pocket



# Covering Your World

**Step 2 : Attach the door cover (#38/#39) to the door frame as following :**



**Note : #34 for main roof cover tensioning.  
#35 for front and end covers tensioning.**

**Step 3 : Your assembled shelter will be similar to the illustration as below :**

**Illustration for Ratchet**

